

	L #	Hits	Search Text	DBs
1	L1	17373	(optical near3 (record\$4 or storage or storing)).ti,ab.	US-PGPUB; USPAT
2	L2	18689	((optical or laser or compact) adj3 (disc or disk)).ti,ab.	US-PGPUB; USPAT
3	L3	175388	protect\$6.ti,ab.	US-PGPUB; USPAT
4	L4	22774	"si.sub.3" adj "n.sub.4"	US-PGPUB; USPAT
5	L5	8953	(silicon near nitride or sin or "sin.sub.\$").ti,ab.	US-PGPUB; USPAT
6	L6	788	("si.sub.3" adj "n.sub.4").ti,ab.	US-PGPUB; USPAT
7	L7	107704	((data or information) near3 (record\$4 or storage or storing)).ti,ab.	US-PGPUB; USPAT
8	L8	15	(1 or 2 or 7) and 3 and (5 or 6)	US-PGPUB; USPAT
9	L9	1453060	protect\$6	US-PGPUB; USPAT
10	L10	210863	(silicon near nitride or sin or "sin.sub.\$")	US-PGPUB; USPAT
11	L11	18427	9 with (4 or 10)	US-PGPUB; USPAT
12	L12	1138	(1 or 2 or 7) and 11	US-PGPUB; USPAT
13	L13	227400	(silicon adj (oxide or dioxide)) or sio or "sio.sub.\$"	US-PGPUB; USPAT
14	L14	6053	11 with 13	US-PGPUB; USPAT
15	L15	351	(1 or 2 or 7) and 14	US-PGPUB; USPAT

	L #	Hits	Search Text	DBs
16	L16	58790	(4 or 10) near3 13	US-PGPUB; USPAT
17	L17	4394	9 with 16	US-PGPUB; USPAT
18	L18	160	(1 or 2 or 7) and 17	US-PGPUB; USPAT
19	L19	85	("sin.sub.x").ti,ab.	US-PGPUB; USPAT
20	L20	0	(1 or 2 or 7) and 3 and 19	US-PGPUB; USPAT
21	L21	6296	("sin.sub.x")	US-PGPUB; USPAT
22	L22	193932	("sio.sub.x" or "sio.sub.2")	US-PGPUB; USPAT
23	L27	547	430/270.11.ccls.	US-PGPUB; USPAT
24	L28	548	430/270.13.ccls.	US-PGPUB; USPAT
25	L29	1549	428/64.4.ccls.	US-PGPUB; USPAT
26	L30	433	428/64.8.ccls.	US-PGPUB; USPAT
27	L32	342	(27 or 28 or 29) and 3	US-PGPUB; USPAT
28	L33	3	(5 or 6 or 19) and (30 or 32)	US-PGPUB; USPAT
29	L34	72274	(4 or 10 or 21) near3 (13 or 22)	US-PGPUB; USPAT
30	L37	5867	9 with 34	US-PGPUB; USPAT

	L #	Hits	Search Text	DBs
31	L38	333	(1 or 2 or 7) and 37	US-PGPUB; USPAT
32	L39	173	38 not 18	US-PGPUB; USPAT
33	L40	88890	(4 or 10 or 21) with (13 or 22)	US-PGPUB; USPAT
34	L41	7911	40 with 9	US-PGPUB; USPAT
35	L43	166	(27 or 28 or 29 or 30) and 41	US-PGPUB; USPAT
36	L44	42	iwasaki-hiroko.in.	US-PGPUB; USPAT
37	L45	86276	thermal adj conductivity	US-PGPUB; USPAT
38	L46	1974	9 with 45	US-PGPUB; USPAT
39	L47	261	(1 or 2 or 7) and 46	US-PGPUB; USPAT
40	L48	101	(27 or 28 or 29 or 30) and 46	US-PGPUB; USPAT
41	L49	262	47 or 48	US-PGPUB; USPAT
42	L54	6017	(thermal adj conductivity).ti,ab.	US-PGPUB; USPAT
43	L55	105	(1 or 2 or 7) and 54	US-PGPUB; USPAT
44	L56	35	(27 or 28 or 29 or 30) and 55	US-PGPUB; USPAT
45	L57	105	55 or 56	US-PGPUB; USPAT

	L #	Hits	Search Text	DBs
46	L58	80	57 not 49	US- PGPUB; USPAT
47	L60	109011	(optical near3 (record\$4 or storage or storing))	EPO; JPO; DERWE NT; IBM_TDB
48	L61	157839	((optical or laser or compact) adj3 (disc or disk))	EPO; JPO; DERWE NT; IBM_TDB
49	L63	626342	((data or information) near3 (record\$4 or storage or storing))	EPO; JPO; DERWE NT; IBM_TDB
50	L64	40028	thermal adj conductivity	EPO; JPO; DERWE NT; IBM_TDB
51	L65	936794	protect\$6	EPO; JPO; DERWE NT; IBM_TDB
52	L66	763	64 with 65	EPO; JPO; DERWE NT; IBM_TDB
53	L67	116	(60 or 61 or 63) and 66	EPO; JPO; DERWE NT; IBM_TDB

	L #	Hits	Search Text	DBs
54	L68	820359	phase or (crystal\$6 and amorphous\$6)	EPO; JPO; DERWE NT; IBM_TDB
55	L69	37	67 and 68	EPO; JPO; DERWE NT; IBM_TDB